



EIGER ENGINEERING (PTY) LTD.
 4 Jurie Street, Alrode, Alberton, 1449
 PO Box 11067, Randhart, 1457
 South Africa
 Tel / Fax: +27(11) 908 4100
www.eiger.co.za | email: info@eiger.co.za

Visit our website with online catalogue!

MILL SPOUTING & BLOWLINE EQUIPMENT - INDEX

STAINLESS STEEL SPOUTING

Page
2

ON-SITE POWDER COATING

Page
2

LIGHT DUTY SPOUTING

Item	Page	Item	Page
Straight Pipe	3	Segment	3
Universal Joint	3	Cone (Asymmetrical)	4
Cone (Symmetrical)	4	Square To Round	4
Flange Piece	5	Tension Ring	5
Branch Pipe (Asymmetrical)	5	Branch Pipe (Symmetrical)	6
Branch Pipe (3-Way)	6	Sifter Outlet	7
Sifter Outlet Extension Piece	7	Poker Piece	7
Hand Hole	8	Spout Magnet	8
Sight Spout	8	Divider Box (Asymmetrical)	9
Divider Box (Symmetrical)	9	Flap Box (Asymmetrical)	9
Flap Box (Symmetrical)	10	Collecting Screw Flap Box (Double)	10
Collecting Screw Flap Box (Triple)	10	Pneumatic Flap Box (Asymmetrical)	11
Pneumatic Flap Box (Symmetrical)	11	Hand Slide	11
Suction Nozzle (Horizontal)	12	Suction Nozzle (Vertical)	12
Quick-Release Clamp	13	Quick-Release Clamp With Rubber	13
Clamp With Rubber	13	Rubber Sleeve	14
Rubber Ring	14	Rubber Lid	14
Floor Clamp	14	Weld-On Piece	15
Flaring Tool	15	Adapter Piece	15

HEAVY DUTY SPOUTING

Breaker Vertical Flow Box	16	Breaker Angle Flow Box	16
Multiple Outlet	16	Spout Clamp	17
Belt Buckle	17	Bag-Off Table	17

BLOWLINE EQUIPMENT

Blowline Sight Glass	18	Pneumatic Bend - 90 Degree	18
Heavy Duty Straight Pipe	18		



EIGER ENGINEERING (PTY) LTD.
4 Jurie Street, Alrode, Alberton, 1449
PO Box 11067, Randhart, 1457
South Africa

Tel / Fax: +27(11) 908 4100

www.eiger.co.za | email: info@eiger.co.za

Visit our website with online catalogue!

STAINLESS STEEL MILL SPOUTING

Most of our mild steel spouting can be manufactured in stainless steel if required




ON-SITE POWDER COATING



Visit our website with online catalogue!


MILL SPOUTING - LIGHT DUTY



STRAIGHT PIPE


Code	Dia (mm)	Length (mm)
PIPE-120	120	2 000
PIPE-150	150	2 000
PIPE-200	200	2 000
PIPE-250	250	2 000

[Back To Index](#)



SEGMENT

Code	Dia (mm)	Angle (deg)
SEG-120-05	120	5
SEG-120-10	120	10
SEG-120-15	120	15
SEG-150-05	150	5
SEG-150-10	150	10
SEG-150-15	150	15
SEG-200-05	200	5
SEG-200-10	200	10
SEG-200-15	200	15
SEG-250-05	250	5
SEG-250-10	250	10
SEG-250-15	250	15



UNIVERSAL JOINT

Code	Dia (mm)	Angle (deg)
UJ-120	120	45
UJ-150	150	45
UJ-200	200	45
UJ-250	250	45


Note: Also known as Bend / Elbow

[Back To Index](#)



Visit our website with online catalogue!

MILL SPOUTING - LIGHT DUTY




CONE (ASYMMETRICAL)

Code	Dia 1	Dia 2	Height (mm)
COA-120-150	120	150	50

Note: Also known as Reducer

[Back To Index](#)



CONE (SYMMETRICAL)


Code	Dia 1	Dia 2	Height (mm)
COS-120-150	120	150	50
COS-120-200	120	200	180
COS-150-200-1	150	200	105
COS-150-200-2	150	200	150
COS-150-200-3	150	200	60
COS-150-250	150	250	150
COS-200-250	200	250	100

Note: Also known as Reducer



[Back To Index](#)

SQUARE TO ROUND

Code	Dia (mm)	A	B	C	D	Height
SQR-120-120	120	120	120	170	170	80
SQR-120-150	120	150	150	200	200	80
SQR-150-150	150	150	150	200	200	80




[Back To Index](#)



Visit our website with online catalogue!


MILL SPOUTING - LIGHT DUTY



FLANGE PIECE

Code	Dia 1	Dia 2	Height (mm)
FP-120	120	156	25
FP-150	150	186	25
FP-200	200	236	25
FP-250	250	286	25
FP-300	300	336	25



[Back To Index](#)



TENSION RING

Code	Dia (mm)
TR-120	120
TR-150	150
TR-200	200
TR-250	250

[Back To Index](#)





BRANCH PIPE (ASYMMETRICAL)

Code	Dia (mm)	Angle (deg)	Height
BPA-120-45	120	45	245
BPA-120-50	120	50	270
BPA-120-55	120	55	285
BPA-150-45	150	45	285
BPA-150-50	150	50	310
BPA-150-55	150	55	340
BPA-200-45	200	45	375
BPA-200-50	200	50	410
BPA-200-55	200	55	445
BPA-250-45	250	45	455
BPA-250-50	250	50	505
BPA-250-55	250	55	555

[Back To Index](#)

Visit our website with online catalogue!

MILL SPOUTING - LIGHT DUTY





BRANCH PIPE (SYMMETRICAL)

Code	Dia (mm)	Angle (deg)	Height
BPS-120-45	120	45	120
BPS-120-50	120	50	120
BPS-120-55	120	55	120
BPS-150-45	150	45	195
BPS-150-50	150	50	195
BPS-150-55	150	55	195
BPS-200-45	200	45	250
BPS-200-50	200	50	250
BPS-200-55	200	55	250

Note: Also known as Y-Piece


[Back To Index](#)



BRANCH PIPE (3-WAY)


Code	Dia 1	Dia 2	Angle	Height
BP3-120-45	120	120	45	245
BP3-120-50	120	120	50	300
BP3-120-55	120	120	55	300
BP3-150-45	150	150	45	285
BP3-150-50	150	150	50	310
BP3-150-55	150	150	55	340
BP3-200-45	200	200	45	375
BP3-200-50	200	200	50	410
BP3-200-55	200	200	55	445
BP3-250-45	250	250	45	455
BP3-250-50	250	250	50	505
BP3-250-55	250	250	55	555

[Back To Index](#)



Visit our website with online catalogue!

MILL SPOUTING - LIGHT DUTY




SIFTER OUTLET

Code	Dia 1	Dia 2	Height (mm)
SO-120	120	120	220
SO-150	150	150	220




[Back To Index](#)




SIFTER OUTLET EXTENSION PIECE

Code	Dia (mm)	Height (mm)
SOEP-120	120	100
SOEP-150	150	100



[Back To Index](#)





POKER PIECE

Code	Dia (mm)	Height (mm)
PP-120	120	200
PP-150	150	200

[Back To Index](#)

Visit our website with online catalogue!

MILL SPOUTING - LIGHT DUTY





HAND HOLE

Code	Dia (mm)	Height (mm)
HH-120	120	200
HH-150	150	200
HH-200	200	200
HH-250	250	200


Note: Also known as Inspection Hole
Also see Rubber Ring (page 14)

[Back To Index](#)



SPOUT MAGNET

Code	Dia (mm)	Height (mm)
SM-120	120	200
SM-150	150	200
SM-200	200	200



SIGHT SPOUT


Code	Dia (mm)	Height (mm)
SS-120	120	200
SS-150	150	200
SS-200	200	200

Note: Tube manufactured in Acrylic

[Back To Index](#)


Visit our website with online catalogue!

MILL SPOUTING - LIGHT DUTY




DIVIDER BOX (ASYMMETRICAL)

Code	Dia (mm)	Angle (deg)	Height
DBA-120	120	45	280
DBA-150	150	45	330
DBA-200	200	45	400




[Back To Index](#)




DIVIDER BOX (SYMMETRICAL)

Code	Dia (mm)	Angle (deg)	Height
DBS-120	120	67.5	275
DBS-150	150	67.5	275
DBS-200	200	67.5	360



[Back To Index](#)



FLAP BOX (ASYMMETRICAL)

Code	Dia (mm)	Angle (deg)	Height
FBA-120	120	45	280
FBA-150	150	45	300
FBA-200	200	45	380




Note: Also known as Diverter Valve

[Back To Index](#)

Visit our website with online catalogue!


MILL SPOUTING - LIGHT DUTY




FLAP BOX (SYMMETRICAL)

Code	Dia (mm)	Angle (deg)	Height
FBS-120	120	55	280
FBS-150	150	55	310
FBS-200	200	50	350

Note: Also known as Diverter Valve




[Back To Index](#)




COLLECTING SCREW FLAP BOX (DOUBLE)

Code	Dia (mm)	Angle (deg)	B (mm)	Height
CSFD-120	120	50	300	250




[Back To Index](#)



COLLECTING SCREW FLAP BOX (TRIPLE)


Code	Dia (mm)	Angle (deg)	B (mm)	Height
CSFT-120	120	50	300	590



[Back To Index](#)


Visit our website with online catalogue!

MILL SPOUTING - LIGHT DUTY




PNEUMATIC FLAP BOX (ASYMMETRICAL)

Code	Dia (mm)	Angle (deg)	Length	Height
PFBA-120	120	45	520	270
PFBA-150	150	45	550	310
PFBA-200	200	45	570	450
PFBA-250	250	45	580	490
PFBA-300	300	45	740	510




Note: Also known as Diverter Valve

[Back To Index](#)




PNEUMATIC FLAP BOX (SYMMETRICAL)

Code	Dia (mm)	Angle (deg)	Length	Height
PFBS-120	120	55	544	250
PFBS-150	150	55	568	310
PFBS-200	200	50	575	350
PFBS-250	250	50	618	380



Note: Also known as Diverter Valve

[Back To Index](#)




HAND SLIDE

Code	Dia (mm)	Length	Height
HS-120	120	300	85
HS-150	150	320	85
HS-200	200	450	85
HS-250	250	550	85

Note: Also available as pneumatically operated

[Back To Index](#)




Visit our website with online catalogue!

MILL SPOUTING - LIGHT DUTY

SUCTION NOZZLE



Horizontal (Also known as Alp Horn)



Horizontal Code	Vertical Code	Dia 1	Dia 2	Height
SNH-60	SNV-60	60	120	245
SNH-63.5	SNV-63.5	63.5	120	245
SNH-65	SNV-65	65	120	245
SNH-70	SNV-70	70	120	245
SNH-76.2	SNV-76.2	76.2	120	245
SNH-80	SNV-80	80	120	245
SNH-85	SNV-85	85	120	245
SNH-88.9	SNV-88.9	88.9	120	245
SNH-90	SNV-90	90	120	245
SNH-95	SNV-95	95	120	245
SNH-100	SNV-100	100	120	245
SNH-101.6	SNV-101.6	101.6	120	245
SNH-105	SNV-105	105	120	245
SNH-110	SNV-110	110	120	245
SNH-114.3	SNV-114.3	114.3	120	245
SNH-120	SNV-120	120	120	245
SNH-127	SNV-127	127	120	245
SNH-139.7	SNV-139.7	139.7	120	245
SNH-152.4	SNV-152.4	152.4	120	245
SNH-165.1	SNV-165.1	165.1	120	245



Vertical

[Back To Index](#)



Visit our website with online catalogue!

MILL SPOUTING - LIGHT DUTY




QUICK-RELEASE CLAMP

Code	Dia (mm)	Height
QRC-63.5	63.5	100
QRC-76.2	76.2	100
QRC-88.9	88.9	100
QRC-101.6	101.6	100
QRC-114.3	114.3	100
QRC-127	127	100
QRC-139.7	139.7	100
QRC-152.4	152.4	100

Note: Manufactured and finished in 304 stainless steel


[Back To Index](#)



QUICK-RELEASE CLAMP WITH RUBBER

Code	Dia (mm)	Height (mm)
QRC-WR-63.5	63.5	100
QRC-WR-76.2	76.2	100
QRC-WR-88.9	88.9	100
QRC-WR-101.6	101.6	100
QRC-WR-114.3	114.3	100
QRC-WR-127	127	100
QRC-WR-139.7	139.7	100
QRC-WR-152.4	152.4	100

Note: Manufactured and finished in 304 stainless steel



CLAMP WITH RUBBER


Code	Dia (mm)	Height (mm)
CWR-63.5	63.5	80
CWR-76.2	76.2	80
CWR-88.9	88.9	80
CWR-101.6	101.6	80
CWR-114.3	114.3	80
CWR-127	127	80
CWR-139.7	139.7	80
CWR-152.4	152.4	80

Note: Manufactured and finished in 3CR12
Also known as Manchette Clamp

[Back To Index](#)

Visit our website with online catalogue!


MILL SPOUTING - LIGHT DUTY



RUBBER SLEEVE

Code	Dia (mm)
RS-63.5	63.5
RS-76.2	76.2
RS-88.9	88.9
RS-101.6	101.6
RS-114.3	114.3
RS-127	127
RS-139.7	139.7
RS-152.4	152.4


[Back To Index](#)



RUBBER RING

Code	Dia (mm)
RR-120	120



Note: Used on Hand Hole (page 8). One size fits all.



RUBBER LID

Code	Dia (mm)
RL-100	100
RL-120	120

[Back To Index](#)




FLOOR CLAMP

Code	Dia (mm)
FC-120	120
FC-150	150
FC-200	200
FC-250	250

Note: Also manufactured in Blowline sizes (page 18)

Visit our website with online catalogue!


MILL SPOUTING - LIGHT DUTY



WELD-ON PIECE

Code	Dia (mm)	Height
WOP-120	120	20
WOP-150	150	20
WOP-200	200	20
WOP-250	250	20


[Back To Index](#)



FLARING TOOL

Code	Dia (mm)
FT-120	120
FT-150	150
FT-200	200

[Back To Index](#)




ADAPTER PIECE

Code	Dia 1	Dia 2	Height (mm)
AP-101.6	101.6	120	70
AP-127	127	120	70
AP-152	152	150	70

[Back To Index](#)

Visit our website with online catalogue!


MILL SPOUTING - HEAVY DUTY



BREAKER VERTICAL FLOW BOX

Code	Dia (mm)	Height
BVFB-127	127	420
BVFB-152	152	420

[Back To Index](#)




BREAKER ANGLE FLOW BOX

Code	Dia (mm)	Angle (deg)
BAFB-127-35	127	35
BAFB-127-40	127	40
BAFB-127-45	127	45
BAFB-152-35	152	35
BAFB-152-40	152	40
BAFB-152-45	152	45

[Back To Index](#)




MULTIPLE OUTLET





Code	Dia (mm)	Outlets
MO	Custom Made	Custom Made

[Back To Index](#)



Visit our website with online catalogue!

MILL SPOUTING - HEAVY DUTY




SPOUT CLAMP

Code	Dia (mm)	Height
SC-63.5	63.5	80
SC-76.2	76.2	80
SC-88.9	88.9	80
SC-101.6	101.6	80
SC-114.3	114.3	80
SC-127	127	80
SC-139.7	139.7	80
SC-152.4	152.4	80

Note: Manufactured and finished in 3CR12
Also known as Manchette Clamp

[Back To Index](#)





BELT BUCKLE

Code	Dia (mm)
BB	Adjustable sizes 250 to 350

Note: Manufactured in
genuine leather

[Back To Index](#)



BAG-OFF TABLE



Code	Dia (mm)
BOT-120	120
BOT-150	150
BOT-200	200

Note: Available in single,
double and triple inlet

[Back To Index](#)

Visit our website with online catalogue!

BLOWLINE EQUIPMENT




BLOWLINE SIGHT GLASS

Code	Dia (mm)	Height
BSG-63.5	63.5	300
BSG-76.2	76.2	300
BSG-88.9	88.9	300
BSG-101.6	101.6	300
BSG-114.3	114.3	300
BSG-127	127	300
BSG-139.7	139.7	300
BSG-152.4	152.4	300
BSG-165.1	165.1	300

Note: Tube manufactured in glass

[Back To Index](#)



PNEUMATIC BEND - 90 DEGREE

Code	Dia (mm)	Wall	Radius
PNB-63.5	63.5	3.0	800
PNB-76.2	76.2	3.0	800
PNB-88.9	88.9	3.0	800
PNB-101.6	101.6	3.0	800
PNB-114.3	114.3	3.5	800
PNB-127	127	3.5	800
PNB-139.7	139.7	4.0	800
PNB-152.4	152.4	4.0	800

Note: Also manufactured as a Wearing Bend

[Back To Index](#)



HEAVY DUTY STRAIGHT PIPE

Code	Dia (mm)	Wall	Length
HDSP-63.5	63.5	3.0	1 000 - 6 000
HDSP-76.2	76.2	3.0	1 000 - 6 000
HDSP-88.9	88.9	3.0	1 000 - 6 000
HDSP-101.6	101.6	3.0	1 000 - 6 000
HDSP-114.3	114.3	3.0	1 000 - 6 000
HDSP-127	127	3.0	1 000 - 6 000
HDSP-139.7	139.7	3.0	1 000 - 6 000
HDSP-152.4	152.4	3.0	1 000 - 6 000